

Cancer Diet during caesium Treatment

Eat more fruits because they are high in nutrients and the cesium blocks the glucose in the fruits from getting inside the cancer cells, so there is less concerns with a person eating fruits.

For such people it is highly recommended they use the most potent of the fruits, meaning:

- 1) Juiced red, black or purple grape juice (with seeds),
- 2) Juiced blueberry juice,
- 3) Mangosteen Juice,
- 4) Noni Juice
- 5) One of the wolfberry juices (or goji juices).

All of these juices provide highly dense concentrations of nutrients.

However, if the cancer patient is *very weak* from the cancer, they should eat a completely different kind of diet. For example, cancer patients who are very weak should eat beef broth and go on the macrobiotic diet, plus the above fruit juices and concentrated vitamin and mineral supplements.

The diet during treatment consisted mainly of whole grains, vegetables, linoleic acid rich oils (linseed, walnut, soy, wheat germ) and other supplemental food. According to individual cases Cesium chloride can be given at daily dosages in three equally divided doses.

Also given to all the patients:

Vitamin A-emulsion (100,000 to 300,000 U)	Selenium (600 to 1,200 mcg)
Vitamin C (4 to 30g)	Laetrile (1500 mg)
Zinc (80 to 100 mg)	Vitamin K
Chelating agent EDTA	Mg salts
Dimethylsulfoxide (DMSO)	Other supplements according to specific patient needs .